
3020 - 'Royale' Single Hole Kitchen Mixer



Technical	Information
1 CCIIIIICai	mulandi

- IAPMO: NSF/ANSI 61, NSF/ANSI 372 & ASME A112.18.1/CSA B125.1 certified.
- Uses Flühs ceramic cartridges.
- Requires 1 1/4" hole drilling.
- Maximum flow rate is 1.2 GPM with low flow restrictor.
- 3/8" flexible hoses.
- Swiveling spout.
- Available finishes are French Weathered Brass (47),
 Polished Chrome (48), SoliBrass (49), Lacquered Matte
 Black Nickel (50), Polished Brass (55), Polished Nickel (56),
 Brushed Nickel (57), Satin Nickel (60), Antique
 Lacquered Copper (67), Antique Lacquered Brass (68),
 Weathered Brass (70), Lacquered Polished Black Nickel (71) and Lacquered Polished Copper (80).
- Please See Cleaning Instructions:
 http://herbeau.com/CleaningAll.pdf
 For Finish Care and Maintenance Information.

Please follow example when ordering parts for 'Royale' Single Hole Mixer

• To order part#15 – Deck Escutcheon


o <u>950061xx</u>

• Please substitute finish number needed in place of **XX**






3020 - 'Royale' Single Hole Kitchen Mixer



Hole Drilling = 1 1/4"

Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

3020 - 'Royale' Single Hole Kitchen Mixer



Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

XX = TWO DIGIT FINISH CODE