3406 - 'Royale' Exposed Thermostatic Shower

			Part#	Description
			47	Washer
			48	Handle Screw
			49	Finished Insert Holder
			50	Black Logo Ceramic
				Insert
			52	Rubber O-Ring
Ø 7 7/8" FLOWRATE=8 GPM			53	$\frac{1}{2}$ - $\frac{3}{4}$ Connector M-M
€0 FLOWRATE=8 GPM			54	³ / ₄ -16 Finished Nuts
21			55	³ / ₄ " Washer
3 1/8" Min. / 3 1/2" Max.			56	$\frac{3}{4}$ " - 1/2" Adapter M-M
3 1/8 Min. / 3 1/2 Max.			50 57	1" X 1" Socket Adapter
			58	Escutcheon ³ / ₄ "
			59	³ / ₄ " Washer
			60	Thermostatic Body
			00	With Thermostatic
				Cartridge
8 7/8"			61	Finished Dial Plate
			62	Thermostat Stop Plate
			63	-
			63 64	Square Tube Swivel Bushing
3/7			04 65	Finished Scold Stop Kit
— 6 1/2" —			66	Valve Connector
Technical Information	Part#	Description	00 71	Valve Button
<u>recliment information</u>			71	Integral Stop
• 8" rose.	01 02	Mounting Screw Kit Wall Mount Plate	73	Bell Escutcheon &
 8" shower head maximum flow rate is 	02 03		15	Stem
1.8 GPM.	05	Mounting Screws ¹ / ₂ " Washer	78	Slide Elbow
 Flow rates are based on use of ³/₄" 	16	¹ / ₂ " Washer	78 79	Escutcheon
supply lines and will vary depending on	20	Top Knob	90	Royale Finished
water pressure.	20	Finished Washer	20	Ceramic Insert
 Uses Flühs ceramic volume control 	21 22	Shower Head Arm	93	³ / ₄ " Thermostatic
cartridges.	22 23	Head Swivel Kit	20	Cartridge With
	25	Low Flow Restrictor		Finished Cover Plate
• Integral shutoff valves.	23 30	Shower Head		
• $\frac{3}{4}$ connections.	30	Rubber O-Ring		
• 19 GPM @ 60 PSI (4 bars).	31	Shower Arm		
• Available finishes are French	52	Column		
Weathered Brass (47), Polished	34	Washer		
Chrome (48), SoliBrass (49),	34	Finished Brass Nut		
Lacquered Matte Black Nickel (50),	35	Riser Pipe		
Old Gold (52), Old Silver (53),	30	¹ / ₂ " Washer		
Polished Brass (55), Polished Nickel	39	Finished Mounting		
(56), Brushed Nickel (57), Satin Nickel	57	Plate		
(60), Antique Lacquered Copper (67),	40	¹ / ₂ " Valve Body		
Antique Lacquered Brass (68), Weathand Brass (70) Lacquered	40	¹ / ₂ Turn Ceramic		
Weathered Brass (70), Lacquered		Cartridge - Ecobrass		
Polished Black Nickel (71) and Lacguered Polished Copper (80)	43	Finished Screw		
Lacquered Polished Copper (80).	44	Bell Escutcheon		
Please See Cleaning Instructions: http://berbaau.com/CleaningAll.pdf	45	Handle Stem		
http://herbeau.com/CleaningAll.pdf For Finish Care and Maintenance	46	Cross Handle		
Information.	-			
IIII0IIIIati0II.				

Copyright©2019 Herbeau Creations. All rights reserved. All products and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and / or dimensional errors. Typographical errors are subject to correction.


Please follow example when ordering parts for 'Royale' Exposed Thermostatic Shower

• To order part#46 – Cross Handle

o <u>950064xx</u>

• Please substitute finish number needed in place of \underline{XX}





Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

