T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

BL-5850-02

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

| 3 9/16" | This Space for Architect/Engineer A | pproval |
|--|---|---|
| [90mm] | Job Name | Date |
| | Model Specified | _ Quantity |
| | Customer/Wholesaler | |
| | Contractor | |
| | Architect/Engineer_ | |
| | 5 7/8" [150mm] | |
| Swivel Gooseneck w/ B-0198 Serrated Tip Outlet Converts to Rigid w/ 014200-45 Lock Washer (Included) Fast Self-Closing Cartridge W/ Green "CW" Index [359mm] | | |
| 4 1/16" [103mm] Mounting Surface | 7 5/16" [186mm] | 1 9/16" [40mm] Maximum Thickness |
| | 150A Optional Tailpiece & Nut for 1/4" NPT Connection (Included) | <u> </u> |
| roduct Specifications: | Product Compliance: | |

Single Hole Single Temperature Laboratory Faucet, Fast Self-Closing Cartridge, Swivel/Rigid Gooseneck, Serrated Tip & 1/2" NPSM Male Inlet

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content)

Drawn: MRC Checked: JRM Approved: JHB Date: 03/01/18 Scale: 1:4 Sheet: 1 of 2




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

BL-5850-02

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



| ITEM NO. | SALES NO. | DESCRIPTION |
|-------------|-----------|----------------------------|
| 1 | 001051-45 | Washer |
| 2 | B-0198 | Serrated Tip w/ Washer |
| 3 | 009538-45 | Swivel Washer |
| 4 | 011429-45 | Swivel Sleeves (2) |
| 5 | 001074-45 | O-Ring |
| 6 | 014200-45 | Star Washer, Anti-Rotation |
| 7 | 144L | Black Plastic Deck Gasket |
| 8 | 000999-45 | Brass Lock Washer |
| 9 | 002954-45 | Shank Lock Nut |
| 10 | 150A | 1/4" NPT Tailpiece & Nut |

Product Specifications:

Single Hole Single Temperature Laboratory Faucet, Fast Self-Closing Cartridge, Swivel/Rigid Gooseneck, Serrated Tip & 1/2" NPSM Male Inlet

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content)

Drawn: MRC | Checked: JRM | Approved: JHB | Date: 03/01/18 | Scale: NTS | Sheet: 2 of 2